

The **FABRIC** makes the awning

Breathtakingly beautiful and long-lasting: our wide range of fabric patterns brings a cosy atmosphere outdoors – strictly according to your individual taste.

Attractive awning fabrics to suit every taste



my collections, weinor's new fabric range consists of 3 different colour ways with a total of 143 patterns in total.


weinor fabrics are made from polyester or acrylic and are spinneret dyed. This guarantees outstanding durability, consistently radiant colours and great UV resistance.

Thanks to the Teflon fabric coating and state-of-the-art nanotechnology, the surface is resistant to oil, water, dirt and prevents rot.

my collections is also impressive in terms of environmental compatibility. The fabrics do not contain any substances harmful to health and they meet all the required environmental standards.

More information at:
www.weinor.com/fabric_qualities

Vertical sun protection with a crystal-clear view



weinor external screens effectively protect both the indoors and outdoor spaces from overheating, whilst giving superb sun protection. They can also offer privacy from prying eyes. We recommend the screens by weinor® collection for this application.


It includes four different, high-quality fabrics, StarScreen, Perluca, Soltis® and fibreglass screen. They all offer perfect sun protection and privacy for windows, the patio and balconies. Different degrees of transparency and how much air is let through are possible, depending on requirements.



momentum, mélange and not crazy.
Choose your favourite pattern from the 3 well selected colour ways. Whether it's timeless neutral, harmonious or creative trends – we have the right material and matching colour for every taste.


my collections
High-quality awning fabrics

47 standard RAL colours



Over 200 modern FRAME COLOURS

Colour manufacturers make every effort to guarantee colour stability. Despite this, as a result of the ban on the use of heavy metals in powder coatings, it therefore cannot be excluded that colours in general, and Fire Red (RAL 3000) in particular, may fade with time. Colours may differ significantly due to the printing process.

Maximum colour safety: weinor has over 200 different frame colours for you to choose from. You can choose from diverse colours which harmonise with the architecture.

Identical colours – for a perfect match

As weinor does all the powder coating in its own workshop, you can also rest assured that different weinor products come with the same top-class colour tonality and identical gloss level.

Choose from an abundance of high-quality colours:

- 47 standard RAL rack colours, silk gloss
- 9 scratchproof, resistant trend colours with an elegant textured look (standard)
- over 150 special RAL colours

RAL 8003
Clay brown

RAL 6012
Black green

RAL 1002
Sandy yellow

RAL 1015
Light ivory

RAL 1003
Signal yellow

9 trend colours

WT 029/80081
Iron glimmer
effect P7

WT 029/80077
Approx.
DB 703 metallic

WT 029/10797
Approx.
RAL 9010

WT 029/71289
Approx.
RAL 7016

WT 029/90146
Approx.
RAL 9006 metallic

WT 029/50704
Approx.
RAL 6009 metallic

WT 029/90147
Approx.
RAL 9007 metallic

WT 029/70786
Sparkling iron
effect

WT 029/60740
Chestnut 04
metallic

weinor **CONSERVATORY AWNINGS**

Product benefits in detail

● standard ○ option — unavailable

| | WGM Top Stretch | WGM Top OptiStretch | Sottezza II/LED Stretch | Sottezza II/LED OptiStretch |
|---|--|--|--|-----------------------------|
| Technology | | | | |
| Max. width single-section unit | 650 cm | 650 cm | 600 cm | 600 cm |
| Max. projection | 600 cm (only up to 600 cm cassette width) | 600 cm (only up to 600 cm cassette width) | 500 cm (only up to 450 cm cassette width) | 500 cm |
| Max. fabric area | 36 m ² | 36 m ² | 24 m ² | 30 m ² |
| Cassette size (height x depth) | 166 x 323 mm | 166 x 323 mm | 148 x 307 mm | 148 x 307 mm |
| Gear drive | — | — | — | — |
| Motor drive | ● | ● | ● | ● |
| Fabric collection | | | | |
| my collections fabrics | ● | ● | ● | ● |
| screens by weinor® | | | | |
| StarScreen | — | — | — | — |
| Perluca | — | — | — | — |
| Soltis® 86/92 | ● / ○ max. 500 cm width x 400 cm projection | — | ● / ○ max. 400 cm width x 250 cm projection | — |
| Frame colours | | | | |
| 47 standard frame colours | ● | ● | ● | ● |
| Over 150 other RAL colours | ○ | ○ | ○ | ○ |
| 9 trend colours | ● | ● | ● | ● |
| Accessories | | | | |
| Heating system Tempura/Tempura Quadra | ○ | ○ | ○ | ○ |
| BiConnect radio control | ○ | ○ | ○ | ○ |
| BiSens weather sensors | ○ | ○ | ○ | ○ |
| Quality | | | | |
| Innovative carriage and clamping system | ● | ● | ● | ● |
| Wind protection tested up to | wind strength 6 on the Beaufort scale and wind resistance class 3 according to DIN 13561 | | not necessary for underlay sun protection | |